

Building and Planning Department
2400 Byberry Road
Bensalem, PA 19020
Office 215-633-3644 • Fax 215-633-3753

Residential Emergency Sewer Repairs

Excavation from the trap towards house only

- \$15.00 application fee payable to Bensalem Township *Separate check
- \$172.50 permit fee payable to Code Inspections Inc *Separate check
- o Complete Residential Permit **Application**
- Include <u>site plan</u> showing limits and location of underground/excavation work and trap

Excavation that includes any work within 25 feet from the center of street

- \$15.00 application fee payable to Bensalem Township
- o **\$90.00** Street Opening fee payable to **Bensalem Township**
- \$500.00 fee payable to Bensalem Township Street Opening Escrow *Separate check from \$90.00 fee*. This fee is refundable less 10% administration fee once work is complete and satisfactory. W-9 and letter requesting refund from applicant required to initiate refund.
- o \$172.50 permit fee payable to Code Inspections Inc *Separate check
- o Complete Residential Permit Application
- Complete <u>Street Opening Application</u>
- Include <u>site plan</u> showing limits and location of underground/excavation work and trap

As applicant I acknowledge this work is an emergency; submission and payment of these applications is not the issuance of a construction permit. Permits will be issued once reviewed and approved. Payment with submission will allow for inspections to take place while permits are under review. Any work done prior to issuance of permits must meet current code standards. Additional permits may be required. Underground work in the right of way requires a street opening permit application to be filed with Bensalem Township and I will be responsible to file and obtain these permits.

Signature of applicant required	Print name of applicant (must be legible)	date



Code Inspections, Inc.

CONSTRUCTION PERMIT APPLICATION

605 Horsham Rd • Horsham PA 19044 • Office 215-672-9400 • Fax 215-672-9736

Note: Read page four (4) in its entirety prior to completing this application

ALL APPLICATIONS ARE TO BE SUBMITTED TO THE BENSALEM TOWNSHIP BUILDING & PLANNING DEPT

AT 2400 BYBERRY RD OR EMAILED TO permitcenter@bensalempa.gov

ALL PLANS PREPARED BY A DESIGN PROFESSIONAL **MUST BE SUBMITTED ELECTRONICALLY**VIA DISC OR EMAIL – NO PAPER PLANS ACCEPTED

County:	BUCKS		Municipality:	В	ENSALEM	_
Application Date:	Approval Date:		PERMI	T NUMBER:		-
LOCATION OF PROPO Site Address:	SED WORK OR IN		Tax Parcel	#		
Lot #Subdivis	ion/Land Developm	ent:		_Phase:	Section:	
TYPE OF WORK OR IN	MPROVEMENT (Ch	eck One)				
New Building	Addition	Alteration	Repair	Demolition	Relocation	
Foundation Only	Change of Use	Plumbing	Mechanical	Electrical	Other	
Describe the proposed	d work:					
OWNER:		Phor	ne #	Fax#		
Mailing Address:			Email:		_	
CONTRACTOR INFOR					DI "	
A 1' (License #	Name	Addre	SS	Phone#	
Applicant						
Carpentry Concrete						
Design Professional Drywall or Lathing						
Electrical						
Excavation						
Fire Alarm						
Masonry						
Mechanical						
Paving						
Plumbing						
Principal Contractor						
Roofing						_
Sewer						
Sprinkler						_
TOTAL ESTIMATED CO	OST OF CONSTRU	CTION (reasona	able fair market valu	ле) \$		_
						=
<u>RESIDENTIAL</u>	LDING USE (Check	(One)				
☐ One Family Dwe	elling (R-3)	☐ Two Far	nily Dwelling (R-3)			
NON-RESIDENTIA	<u> 1L</u>					
Specific Use:		(Change in Use:	☐ YES	□ NO	
Use Group:			If YES, Indicate For	mer:		
Maximum Occupar			Maximum Live Load			_
BT 3/2016					Page 1 of 4	

					ntract Va	lue)		
Number of Residential Units:		Existing		Proposed		onosed		
Type of Structural Frame:	☐ Wood		-			☐ Pre-Manut	factured	l Dwelling
Type of official and raine.			-				aotarca	Dweiling
	☐ Steel	☐ Othei	r, Explain: ₋					
Does or will your building of	•	_						
Elevators/Excalators/Lifts/	: Section :	\square NO	Pı	ressure V	'essels: 🗌 Y	ES 🗆	NO	
Sp	rinkler System	\square NO	Refrige	eration Sv	/stems: ☐ Y	ES 🗆	NO	
Fireplace(s): Number	-			_	-			
Bedrooms (number)		Stories (numb				Street Frontage (
Full Baths (number)		Building Area				Front Setback (fe		
Partial Baths (number)		Living Area (se				Rear Setback (fe		
Garages (number)		Basement Are				Left Setback (fee		
Garage Area (sq/ft)		Office/Sales (s	sq/ft)			Right Setback (fe		
Outside Parking (number)		Service (sq/ft)				Height Above Gr	ade (fee	t)
PLUMBING SECTION NEW PLUMBING WORK F	REQUIRES AL	<u> UTHORIZATIOI</u>	N FROM B	UCKS	COUNT	WATER & SEV	\$ VER AU	
	Enter the numi	ber and size of Fi		ј керап	reu, Repia			
Tubs / Showers		Laundry Tu				Sewage Ejec		
Shower stalls		Dishwashe				Back Flow Pr		3
Lavatories Toilets		Garbage Di Water Heat				Water Pumps Water Service		
Urinals		Water Softe				Sewer Conne		
Sinks		Other	OTTOTO			COWCI COIIIIC	,000011	
Sewer Service: (Check) IS PLUMBING WORK		Public YES		vate - S	Septic Pe	ermit #		
Forced Air Furnace Solid fuel Aj) liance Heat Pump Air Handling Unit Electric Furnace Other:	ON: ESTIMA Enter t Sp Un Bo Gr	ATED COST OF the number and s pace Heater bit Heater biler ravity Furnace cinerator	size of Units	being R	Replaced of A	or Installed VC Compressor Split AJC Unit Coil Unit Gas/Oil Conversion Air Cleaner		Othor
Forced Air Furnace Solid fuel Aj) liance Heat Pump Air Handling Unit Electric Furnace Other: Fuel Type: Gas ELECTRICAL SECTI	ON: ESTIMA Enter t Sp Un Bc Gr Inc	ATED COST OF the number and space Heater biler ravity Furnace cinerator L.P. IATED COST number and size	Elect OF ELEC	tric TRICA	Replaced of A	or Installed VC Compressor Split AJC Unit Coil Unit Gas/Oil Conversion Air Cleaner al	on d [llue)\$_ed	Other
Forced Air Furnace Solid fuel Aj) liance Heat Pump Air Handling Unit Electric Furnace Other: Fuel Type: Gas ELECTRICAL SECTI Service Amps # of Circ	ON: ESTIMA Enter t Sp Un Bc Gr Inc	ATED COST OF the number and space Heater biler ravity Furnace cinerator L.P. IATED COST number and size	Elect OF ELEC of Fixtures utlets	tric TRICA	Replaced of A S C C C C AL WOR Repaired, F 110V	or Installed VC Compressor Split AJC Unit Coil Unit Gas/Oil Conversion Air Cleaner VAI Wood RK (Contract Vai Replaced or Installed	on d [llue)\$_ed	y#
Forced Air Furnace Solid fuel Aj) liance Heat Pump Air Handling Unit Electric Furnace Other: Fuel Type: Gas ELECTRICAL SECTI Service Amps # of Circ List devices Qty	ON: ESTIMA Enter t Sp Un Bc Gr Ind Oil ION: ESTIM Enter the suits Load/Output	ATED COST OF the number and space Heater biler ravity Furnace cinerator L.P. IATED COST number and size # of Service Outlier and size List devices	Elect OF ELEC of Fixtures utlets	tric	Replaced of A S C C C C A A C C C C C C C C C C C C	or Installed VC Compressor Split AJC Unit Coil Unit Gas/Oil Conversion Air Cleaner VAIR (Contract Vair Replaced or Installe 220V List devices	on d [lue) \$_ ed _ Utilit	y #
Forced Air Furnace Solid fuel Aj) liance Heat Pump Air Handling Unit Electric Furnace Other: Fuel Type: Gas ELECTRICAL SECTI Service Amps # of Circ	ON: ESTIMA Enter t Sp Un Bc Gr Inc Oil ION: ESTIM Enter the uits Load/Output	ATED COST OF the number and space Heater biller ravity Furnace cinerator L.P. IATED COST number and size # of Service Output	Elect OF ELEC of Fixtures utlets	tric	Replaced of A S S C C C A A C C C C C C C C C C C C	or Installed VC Compressor Split AJC Unit Coil Unit Cas/Oil Conversion Air Cleaner VAI Wood RK (Contract Vai Replaced or Installe 220V	on d [lue) \$_ ed _ Utilit	y #
Forced Air Furnace Solid fuel Aj) liance Heat Pump Air Handling Unit Electric Furnace Other: Fuel Type: Gas ELECTRICAL SECTI Service Amps # of Circ List devices Qty Switches Receptacles Circuit Panel	ON: ESTIMA Enter t Sp Un Bc Gr Ind Oil ION: ESTIM Enter the suits Load/Output	ATED COST OF the number and space Heater biler ravity Furnace cinerator L.P. IATED COST number and size # of Service Outlet devices Dishwasher Washer	Elect OF ELEC of Fixtures utlets	tric	Replaced of A S S C C C A A C C C C C C C C C C C C	or Installed VC Compressor Split AJC Unit Coil Unit Gas/Oil Conversion Air Cleaner VAIR (Contract Vair Replaced or Installe 220V List devices Heater	on d [lue) \$_ ed _ Utilit	y #
Forced Air Furnace Solid fuel Aj) liance Heat Pump Air Handling Unit Electric Furnace Other: Fuel Type: Gas ELECTRICAL SECTI Service Amps # of Circ List devices Qty Switches Receptacles Circuit Panel Lights	ON: ESTIMA Enter t Sp Un Bc Gr Ind Oil ION: ESTIM Enter the uits Load/Output	ATED COST OF the number and space Heater biler ravity Furnace cinerator L.P. IATED COST number and size and s	Elect OF ELEC of Fixtures utlets	tric	Replaced of A S S C C C A A C C C C C C C C C C C C	or Installed VC Compressor Split AJC Unit Coil Unit Gas/Oil Conversion Air Cleaner VAIR (Contract Vair Replaced or Installe 220V List devices Heater	on d [lue) \$_ ed _ Utilit	y #
Forced Air Furnace Solid fuel Aj) liance Heat Pump Air Handling Unit Electric Furnace Other: Fuel Type: Gas ELECTRICAL SECTI Service Amps # of Circ List devices Qty Switches Receptacles Circuit Panel	ON: ESTIMA Enter t Sp Un Bc Gr Ind Oil ION: ESTIM Enter the uits Load/Output	ATED COST OF the number and space Heater biler ravity Furnace cinerator L.P. IATED COST number and size # of Service Outlet devices Dishwasher Washer	Elect OF ELEC of Fixtures utlets	tric	Replaced of A S S C C C A A C C C C C C C C C C C C	or Installed VC Compressor Split AJC Unit Coil Unit Gas/Oil Conversion Air Cleaner VAIR (Contract Vair Replaced or Installe 220V List devices Heater	on d [lue) \$_ ed _ Utilit	y #
Forced Air Furnace Solid fuel Aj) liance Heat Pump Air Handling Unit Electric Furnace Other: Fuel Type: Gas ELECTRICAL SECTI Service Amps # of Circ List devices Qty Switches Receptacles Circuit Panel Lights	ON: ESTIMA Enter t Sp Un Bc Gr Inc Oil ION: ESTIM Enter the suits Load/Output	ATED COST OF the number and space Heater biler ravity Furnace cinerator L.P. IATED COST number and size with the size of Service Of the size of Service of the size of the s	Elect OF ELEC of Fixtures utlets Qty OST OF FI	tric TRICA being F	Co AL WOR Repaired, F 110V OUTPUT	or Installed VC Compressor Split AJC Unit Coil Unit Gas/Oil Conversion Air Cleaner All Wood RK (Contract Value) Replaced or Installe 220V List devices Heater Hot Water Heater ON WORK (Contract)	on d [lue) \$_ed _ Utilit Qty	Load/Output
MECHANICAL SECTI Forced Air Furnace Solid fuel Aj) liance Heat Pump Air Handling Unit Electric Furnace Other: Fuel Type: Gas ELECTRICAL SECTI Service Amps # of Circ List devices Qty Switches Receptacles Circuit Panel Lights Smoke Det.	ON: ESTIMA Enter t Sp Un Bc Gr Ind Oil ION: ESTIM Enter the suits Load/Output SECTION: E Enter	ATED COST OF the number and space Heater oiler ravity Furnace cinerator L.P. IATED COST number and size # of Service Outlet devices Dishwasher Washer Dryer Spa / Hot Tub A / C Unit ESTIMATED COST the number and size # of Service Outlet Tub A / C Unit	Elect OF ELEC of Fixtures utlets Qty OST OF FI size of Equip	tric TRICA being F Load/O	Co AL WOR Repaired, F 110V OUTPUT	or Installed VC Compressor Split AJC Unit Coil Unit Gas/Oil Conversion Air Cleaner All Wood RK (Contract Value) Replaced or Installe 220V List devices Heater Hot Water Heater ON WORK (Contract)	d [alue) \$_ed Utilit Qty	Load/Output
MECHANICAL SECTI Forced Air Furnace Solid fuel Aj) liance Heat Pump Air Handling Unit Electric Furnace Other: Fuel Type: Gas ELECTRICAL SECTI Service Amps # of Circ List devices Qty Switches Receptacles Circuit Panel Lights Smoke Det. Sprinkler System	ON: ESTIMA Enter t Sp Un Bc Gr Ind ION: ESTIM Enter the uits Load/Output SECTION: E Enter H	ATED COST OF the number and space Heater sit Heater soiler ravity Furnace cinerator L.P. IATED COST number and size of Service Outlett devices Dishwasher Washer Dryer Spa / Hot Tub A / C Unit ESTIMATED COST of the number and size of the size o	Elect OF ELEC of Fixtures utlets Qty OST OF FI size of Equip	tric TRICA being F Load/O	Co AL WOR Repaired, F 110V OUTPUT	or Installed VC Compressor Split AJC Unit Coil Unit Gas/Oil Conversion Air Cleaner VAIR (Contract Vair Replaced or Installed 220V List devices Heater Hot Water Heater CON WORK (Contract Vair Cleaner CON WORK (Contract Vair Cl	on d [lue) \$_ed	Load/Output
MECHANICAL SECTI Forced Air Furnace Solid fuel Aj) liance Heat Pump Air Handling Unit Electric Furnace Other: Fuel Type: Gas ELECTRICAL SECTI Service Amps # of Circ List devices Qty Switches Receptacles Circuit Panel Lights Smoke Det.	ON: ESTIMA Enter t Sp Un Bo Gr Ind ION: ESTIM Enter the suits Load/Output SECTION: E Enter H F	ATED COST OF the number and space Heater oiler ravity Furnace cinerator L.P. IATED COST number and size # of Service Outlet devices Dishwasher Washer Dryer Spa / Hot Tub A / C Unit ESTIMATED COST the number and size # of Service Outlet Tub A / C Unit	Elect OF ELEC of Fixtures utlets Qty OST OF FI size of Equip	tric TRICA being F Load/O	Co AL WOR Repaired, F 110V OUTPUT	or Installed VC Compressor Split AJC Unit Coil Unit Gas/Oil Conversion Air Cleaner VAIR (Contract Vair Replaced or Installed List devices Heater Hot Water Heater ON WORK (Contract Vair Contract Vair Cleaner) ON WORK (Contract Vair Contract Vair Cleaner)	on Ilue) \$_ed Utilit Qty act value) tem System	Load/Output

Rev 3/2016 Page2of4

FLOODPLAIN:													
Is the site located within an identified flood hazard area? YES NO													
Will any portion of the flood hazard area be developed?													
Owner/Agent shall verify that any proposed construction and/or development activity complies with the requirements of the National Flood Insurance Program and the Pennsylvania Flood Plain Management Act (Act 166-1978), specifically Section 60.3													
Lowest Floor Level:			_				,			,, ,			
HISTORIC DISTRICT:													
Is the site located within a Histori	c Dis	trict?				YES	□ NO						
If construction is proposed within	n a H	listoric	Disti	rict, a			appropriateness	may	be reg	uired	by the	Mun	icipality.
The applicant certifies that all information on t 45 (Uniform Construction Code) and any addresponsibility of locating aU property lines, set construed as authority to violate, cancel or set understands all the applicable codes, ordinances Application for a permit shall be made by the <i>o</i> with the proposed work. Certificate of occupancy. § 403.46(a) A building, structure or facility ma § 403.46(d) A building code official may susp	d itional back lin aside and rewner or	approve nes, ease ny provi- gulation r lessee o	ed buildments, sions of s. of the bu	ding coorights-of the coordinated the coordina	de reque way, les or our struct	uirements ad flood areas, or ord inances of ture, or agent	opted by the Municipal etc. Issuance of a pennif the Municipal ity or and the of either, or by the result of either, or by the result occupancy issued by a beautiful or the municipal etc.	ality. The tand appropriate and appropriate and appropriate appropriate and ap	he proper pproval of governing design pro- code offi	rty owner of constmate g body. rofessional cial.	er and a action do The app	pplicant ocument olicant co	assumes the is shall not be ertifies he/she connect ion
by the pennit applicant or in violation of the U	Uniforn	n Constru	uction (Code. Be	efore a	certificate o							
board of appeals under § 403.122 (relating to a	ppeals,	variance	s and ex	xtension	s oftin	ne).							
I certify that the code administrator or the code administrator's authorized representative shall have the authority to enter areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit.													
Signature of Owner or Authorized	Agen	t			_	Print	Name of Owner	or Aı	ıthorize	d Age	ent		
	go	•						0. 7.0		~g.			
Address							Date						
Directions to Site:													
*********	+++++	******III		A D I 41	NUOT		110E ONI WATER		*****		++++		

ADDITIONAL PERMITS/	APF	PROV	/ALS	SRE	QUI	IRED							
STREET CUT/DRIVEWAY		YES		NO		ON FILE	ON-LOT SEPTIC		YES		NO		ON FILE
CUT AND FILL		YES		NO		ON FILE	ZONING		YES		NO		ON FILE
PENNDOT HIGHWAY OCCUPANCY		YES		NO		ON FILE	HARB		YES		NO		ON FILE
DEP FLOODWAY OR FLOODPLAIN		YES		NO		ON FILE	OTHER		YES		NO		ON FILE
SEWER CONNECTION		YES		NO		ON FILE	OTHER		YES		NO		ON FILE
APPROVALS													
BUILDING PERMIT DENIED		YES		10	DA	ATE:	DA	TE R	ETURI	NED:			
ISSUED BY:							<u> </u>						
TOTAL SQ FT USED FOR FEE				SaFt	TO	TAL CON	TRACT VALUE	USED	FOR	FFF	\$		
101712 0411 00231 0111 22				oqi t		., 12 0011		0022			Ψ		
PLAN PERMIT FEE	\$				FIR	E PERM	IT FEE				\$		
BUILDING PERMIT FEE	\$						ITY PERMIT FE	EE			\$		
ELECTRIC PERMIT FEE	\$						ERMIT FEES				\$		
PLUMBING PERMIT FEE	\$						ATIVE FEES				\$		
MECHANICAL PERMIT FEE	\$				01 <i>F</i>	ATE FEE	3				\$		

TOTAL CONSTRUCTION PERMIT FEES: \$

Residential Permit Application and Submittal Requirements

The following sections located on page one must be completed in full:

- I. County and Municipality
- 2. Location of proposed work or improvement, most importantly, site location, tax parcel number and lot number.
- 3. Type of improvement including a brief description of work.
- 4. Owner information with complete mailing address.
- 5. Estimated cost of construction is required to be provided.

The contactor section is required to be completed <u>only</u> when work is performed within Municipalities that require contractor registration. However, Code Inspections, Inc. requests a minimum of the primary contractor information to be provided in case correspondence or contact is necessary.

Page two needs to be completed for only the sections that apply to the proposed project, or work to be performed.

Page three needs to be completed for floodplain information and, a signature by the property owner, or agent of the owner must be provided on page three. The bottom of page three is intended for administrative use and will be completed by Code Inspections, Inc. during the application review.

PLANS AND SUBMITTALS

- The submittal shall include one complete set of plans, a plot plan and specification sufficient to indicate the scope of work being proposed. Listed below are some basic examples of information necessary to complete a plan review. Additional information may be requested depending on the intended project. Any document larger than 11 x 17 must be submitted in electronic format (disc, email, etc.)
- Project design shall conform to the most current edition of the International Residential Code adopted by the Commonwealth of Pennsylvania.
- Drawings shall specify all site information such as address, lot number, TMP number, owner name and type of work Proposed. This information shall be reflected on all pages.
- Drawings shall include Floor plan showing new construction in comparison to existing, room labels or use of rooms, bearing locations, window and door sizes, header sizes and all other pertinent information. Footing details and specifications shall be provided for all locations. Detail should include a footprint or outline of the scope of work as well as specifying pier or continuous footings where applicable. Pre-cast concrete panels and all other pre-manufactured products shall have manufacturers engineered designs and specs.
- Insulation and thermal values shall be indicated for walls, ceiling, floors, basement walls and slab perimeter.
- · Indicate electrical components including locations and sizes.

Swimming Pools

- Provide swimming pools construction specifications.
- · Swimming pool enclosures and barriers shall be shown and include fence, gate and gate device details.

Commercial Permit Application and Submittal Requirements

The Application shall be completed as explained in the Residential information listed above.

PLANS AND SUBMITTIALS

The submittal shall include one complete set of plans and specifications bearing the signature and seal of a licensed Design Professional. Plans and specifications shall, at minimum, be required to contain the information specified within the sections listed below.

§ 403.42a(b) A permit applicant shall submit an application to the building code official and attach construction documents, including plans and specifications, and information concerning special inspection and structural observation programs, Department of Transportation highway access permits and other data required by the building code official with the permit application. The applicant shall submit three sets of documents.

§ 403.42a(c) A licensed architect or licensed professional engineer shall prepare the construction documents under the Architects Licensure Law (63 P. S. §§ 34.1-34.22), or the Engineer, Land Surveyor and Geologist Registration Law (63 P. S. §§ 148-) 58.2). An unlicensed person may prepare design documents for the remodeling or alteration of a building if there is no compensation and the remodeling or alteration does not relate to additions to the building or changes to the building's structure or means of egress.

§ 403.42a(e) The permit applicant shall submit construction documents in a format approved by the building code official. Construction documents shall be clear, indicate the location, nature and extent of the work proposed, and show in detail that the work will conform to the Uniform Construction Code. § 403.42a(1) All of the following fire egress and occupancy requirements apply to construction documents:

§ 403.42a(1)(I) The permit applicant shall submit construction documents that show in sufficient detail the location, construction, size and character of all portions of the means of egress in compliance with the Uniform Construction Code.

§ 403.42a(f)(2) The construction documents for occupancies other than Groups R-2 and R-3 shall contain designation of the number of occupants to be accommodated on every floor and in all rooms and spaces.

§ 403.42a(f)(3) The permit applicant shall submit shop drawings for a fire protection system that indicates conformance with the Uniform Construction Code in accordance with the following:

§ 403.42a(f)(3)i. The shop drawings shall be approved by the building code official before the start of the system installation.

§ 403.42a(f)(3)ii The shop drawings must contain the information required by the referenced installation standards contained in the "International Building Code."

§ 403.42a(g) Construction documents shall contain the following information related to the exterior wall envelope:

§ 403.42a(g)(I) Description of the exterior wall envelope indicating compliance with the Uniform Construction Code.

§ 403.42a(g)(I) Flashing details.

§ 403.42a(g)(1) Details relating to intersections with dissimilar materials, corners, end details, control joints, intersections at roof, eaves, or parapets, means of drainage, water-resistive membrane and details around openings.

§ 403.42a(h) Construction documents shall contain a site plan that is drawn to scale. The building code official may waive or modify the following site plan requirements if the permit application is for an alteration or repair or if waiver or modification is warranted. Site plan requirements include all of the following:

§ 403.42a(h)(1) The size and location of new construction and existing structures on the site.

§ 403.42a(h)(2) Accurate boundary lines.

§ 403.42a(b)(3) Distances from lot lines.

§ 403.42a(b)(4) The established street grades and the proposed finished grades.

§ 403.42a(h)(5) If the construction involves demolition, the site plan shall indicate construction that is to be demolished and the size and location of existing structures and construction that will remain on the site or plot.

§ 403.42a(h)(6) Location of parking spaces, accessible routes, public transportation stops and other required accessibility features.

§ 403.42a(I) A building code official may waive or modify the submission of construction documents, that are not required to be prepared by a licensed architect or engineer, or other data if the nature of the work applied for does not require review of construction documents or other data to obtain compliance with the Uniform Construction Code. The building code official may not waive the submission of site plans that relate to accessibility requirements.

§ 403.42a(m) An applicant for an annual permit under § 403.42(f) shall complete an application and provide information regarding the system that may be altered and the date that approval was previously provided for the approved electrical, gas, mechanical or plumbing installation.

§ 403.42a(n) A permit applicant shall comply with the permit, certification or licensure requirements of the following laws applicable to the construction:

§ 403.42a(n)(I) The Boiler and Unfired Pressure Vessel Law (35 P. S. §§ 1331 .1- 1331 .19).

§ 403.42a(n)(2) The Propane and Liquefied Petroleum Gas Act (35P. S. §§ 1329.1 - 1329.19).

§ 403.42a(0)(3) The Health Care Facilities Act.

§ 403.42a(0)(4) The Older Adult Daily Living Centers Licensing Act



Building and Planning Department 2400 Byberry Road • Bensalem, PA 19020 Office 215-633-3644 • Fax 215-633-3753

APPLICATION for STREET OPENING

Permit No.	
Date:	
Fee:	

The undersigned applicant hereby makes application	on for a permit to break open a Township road or street.
Street Name:	Tax Parcel No.
Address:	
Purpose of Opening:	
IMPROVED SURFACE	UNIMPROVED SURFACE OPENING
Length:	Length:
Width:	Width:
Total Sq. Footage:	Total Sq. Footage:
NAME AND ADDRESS OF PERSON FO	OR WHOM WORK IS BENG PERFORMED:
Name:	Address:
You must notify the Bensalem Township Engineering Dept. 2 will result in removal of all backfill materials. Restorations sha	24 hours in advance of a road opening. Un-inspected restorations all then commence with an inspector present.
The applicant agrees to replace the surface of the highway in approved and enacted on April 27, 1981, entitled "Standard S And Streets" as amended.	n the manner provided for by a resolution of Bensalem Township, Specifications and Design Standards for Roads
The applicant further agrees to assume all liability for all or ar done under the permit hereby applied for, and to protect and	ny damage which may result from the performance of the work indemnify the Township against the loss or damage thereof.
The applicant further agrees to perform, fulfill, and comply with and all the rules and regulations of the Township of Bensalen	ith all the terms, conditions and provisions of the said ordinance, m.
The applicant further agrees to abide by the rules and regular <i>Township</i> " regulating the opening or breaking the surface of obtaining from the Township the requisite permit.	
	PRINT TO BE ATTACHED Township "Road Restoration Requirements" as attached as a ply with all the requirements set forth therein.
Applicant's Information	
Name:	Address:
Phone No	_
	Signature
A SIGNED APPLICATION IS REQUIR	RED PRIOR TO ISSUANCE OF PERMIT
FOR OFFIC	CE USE ONLY
Fee:	Escrow:
Approved By: Township Engineer	Date:
1 ownsnip Engineer	



Building and Planning Department 2400 Byberry Road Bensalem, PA 19020 215-633-3644 • Fax 215-633-3753

STREET OPENING ROAD RESTORATION REQUIREMENTS


May 4, 1998

- Disturbed portions of the highway, including but not limited to, slopes and appurtenances and structures such as guide rails, curbs, signs, markings, drain pipes, driveways and vegetation, shall be restored by the permittee to a condition at least equal to that which existed before the start of work authorized by the permit. Additional restoration may also be required upon written notification, to restore the structural integrity of the pavement or shoulder.
- 2. If the permittee opens pavement having a bituminous concrete surface and the Township's wearing course is less than five (5) years old, the permittee shall, in addition to the restoration conditions outlined in the permit and in this section, be required to overlay the pavement in accordance with the following conditions"
 - When a longitudinal opening longer than 100 linear feet has been made in the pavement, the permittee shall overlay the traffic lanes in which the openings were made, for the entire length of highway between the openings in a manner authorized by the Engineering Department.
 - When two or more transverse openings have been made within 100 linear feet of pavement, the permittee shall overlay traffic lanes in which the openings were made, for the entire length of highway between the openings, in a manner authorized by the Township.
 - When 4 or more emergency openings have been made by the same permittee within 100 linear feet of pavement, the permittee shall overlay traffic lanes in which the openings were made, for the entire length of highway between the openings, in a manner authorized by the Township.
 - If disturbed lanes adjacent to undisturbed lanes are overlaid, the edge of the disturbed lane shall be saw cut or milled to a depth of 1 ½ inch or the depth of the existing surface course, whichever is less, for the length of the opening to insure a smooth joint with proper elevation and cross section. A full width overlay may be authorized on various highways instead of saw cutting or milling the disturbed lane.
 - If disturbed lanes adjacent to shoulders are overlaid, the shoulder shall be raised with material and in a manner authorized by the Township for the type of existing shoulder so that the overlaid pavement and shoulder edges are at the same elevation.
- 3. Regardless of the age of the wearing course:
 - If more than 100 linear feet of longitudinal or transverse openings, or both, are made in the pavement the Township may require the permittee to overlay traffic lanes in which the openings were made for the entire length of highway that was opened, if the Township Engineer determines the ride-ability or structural integrity of the pavement has been impaired by the opening.
 - If four or more openings are made by the same permittee within 100 linear feet of pavement, the Township may require the permittee to restore the entire disturbed pavement between the openings by milling, planeing or other authorized method and overlaying the entire disturbed pavement.
- 4. Aggregate used in a bituminous overlay wearing course shall comply with skid resistance lever (SRL) criteria specified in PA DOT Design Manual, Part 2, Chapter 11.
- 5. If an opening is made in a bituminous concrete pavement within 3 feet from the edge of the pavement or other longitudinal joint or opening, the surface restoration shall be extended to the edge of pavement or other longitudinal joint or opening.
- 6. At each end of overlay, the permittee shall install a paving notch by milling, planeing or other authorized method and provide a minimum of 10 foot transition.
- 7. The transition areas at each end of an overlay shall follow the contour of the surrounding surface.
- 8. When pavement markings on more than 100 linear feet of highway are covered or destroyed by the permitted work, including overlays, they shall be replaced with temporary pavement markings before opening the disturbed pavement to traffic.
 - When the pavement surface is restored, pavement markings that were covered or destroyed shall be replaced in their former location.
- 9. Restored openings in the pavement or paved shoulder shall be sealed under Section 401(j)(3) of PA DOT Publication 409 in the cases of bituminous concrete or Section 501.3(n) of Publication 408 in the case of cement concrete.



Building and Planning Department 2400 Byberry Road Bensalem, PA 19020 215-633-3644 • Fax 215-633-3753

STREET OPENING ROAD RESTORATION REQUIREMENTS



TYPICAL TRENCH RESTORATION IN PAVED CARTWAY N.T.S.

- Certain conditions may require overlay of travel line or entire street width.
 See Bensalem Township Road Restoration requirements.
- 2. Trench work must be completed at 3:30 p.m. Trench area must be secured and road reopened by 5:00 p.m. If roadway is not secure by 5:00 p.m. contractors will incur additional consulting fees based on an hourly basis.
- 3. Final restoration on openings for new construction shall be completed prior to occupancy. The restoration must be completed within 30 days. Failure to comply will result in a \$1500 escrow in addition to any other escrow previously required.

ALL WORK TO BE DONE IN ACCORDANCE WITH PENNDOT SPECIFICATIONS PUBLICATION 408 AS AMENDED



SAMPLE SEWER REPLACEMENT PLOT

- 1. Show work area with length and width of excavation.
- 2. Show location of trap.
- 3. Show distance from center of roadway to work area

This site plan is intended for an example only. Your specific site plan may vary depending on the locations of structures and layout of your property.

